



Certificate of Analysis

Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # GYDHJPE252401
Batch Date: 2025-03-26
Extracted From: HEMP

Test Reg State: Florida

Order # HON250326-060001
Order Date: 2025-03-26
Sample # AAGN461

Sampling Date: 2025-03-28
Lab Batch Date: 2025-03-28
Completion Date: 2025-04-08

Initial Gross Weight: 12.500 g
Net Weight: 10.000 g

Number of Units: 5
Net Weight per Unit: 5000.000 mg



Product Image



Potency
Tested

HHCP
Tested

Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Specimen Weight: 206.100 mg

Pieces For Panel: 2

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	10.000	2.80E-4	0.075	1.5900	0.1590
Delta9-THCP *	10.000	1.17E-5	0.0012	0.4526	0.0453
Delta-8 THC	10.000	2.60E-5	0.0015	0.1400	0.0140
CBC	10.000	2.76E-5	0.075	<LOQ	<LOQ
CBD	10.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
CBN	10.000	1.40E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	10.000	3.00E-6	0.0015	<LOQ	<LOQ
Delta6a10a-THC	10.000	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.0015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.0015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.0015	<LOQ	<LOQ
CBNA	10.000	9.50E-5	0.0015	<LOQ	<LOQ
CBT	10.000	2.00E-4	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	10.000	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.0015	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.0015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.00195	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	10.000			<LOQ	<LOQ
Total Active THC	10.000			1.590	0.159


Tested

SOP13.001 (LCUV)

Potency Summary

Total Delta 8	0.7 mg	Total Delta 10	None Detected
0.014%		-	
Total HHC	16.157 mg	Total Active THC	7.95 mg
0.323%		0.159%	
Total Active CBD	None Detected	Total CBG	None Detected
-		-	
Total CBN	None Detected	Total Cannabinoids	27.065 mg
-		0.541%	
Total DELTA-9 THC	7.95 mg		
0.159%			

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/mg) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Client supplied the net weight of mg. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an ** are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # GYDHJPE252401

Test Reg State: Florida

Batch Date: 2025-03-26

Extracted From: HEMP

Order # HON250326-060001
Order Date: 2025-03-26
Sample # AAGN461

Sampling Date: 2025-03-28
Lab Batch Date: 2025-03-28
Completion Date: 2025-04-08

Initial Gross Weight: 12.500 g
Net Weight: 10.000 g

Number of Units: 5
Net Weight per Unit: 5000.000 mg

HHCP HHCP

Specimen Weight: 206.100 mg

Dilution Factor: 1000.000

Tested

SOP13.050 (LCMS)

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	2.2300	0.223	CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	0.9950	0.0995	Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ	Delta-9 THC	2.8000E-4	0.075	1.5900	0.159
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ	Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ	H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ	Total HHC	0.075	0.075	3.2314	0.32314
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ					


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805
Order # HON250409-010001
Order Date: 2025-04-09
Sample # AAGP040

Batch # GYDHJPE252401
Batch Date: 2025-03-26
Extracted From: HEMP

Test Reg State: Georgia

Sampling Date: 2025-04-11
Lab Batch Date: 2025-04-11
Completion Date: 2025-04-16

Initial Gross Weight: 62.300 g



Pathogenic Microbiology	Tested	Heavy Metals	Passed	Mycotoxins	Passed	Pesticides	Passed	Residual Solvents	Passed
-------------------------	--------	--------------	--------	------------	--------	------------	--------	-------------------	--------

Microbiology
Tested

Filth and Foreign
Passed

Product Image

Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1013.200 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	Passed	STEC	Passed		

Tested
SOP13.029 (qPCR)

Microbiology AC TYM BTGN plating - (GA)

Specimen Weight: 1007.800 mg

Dilution Factor: 1.000


Analyte	LOQ (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	100	<100	Total Yeast/Mold	1000	<1000
Total Aerobic Count	1000	<1000			

Tested
SOP13.020 (Electronic Balance)

Filth and Foreign Material - (GA)

Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta 8-THCP + Delta 9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # GYDHJPE252401

Test Reg State: Georgia

Batch Date: 2025-03-26

Extracted From: HEMP

Order # HON250409-010001
Order Date: 2025-04-09
Sample # AAGP040

Sampling Date: 2025-04-11
Lab Batch Date: 2025-04-11
Completion Date: 2025-04-16

Initial Gross Weight: 62.300 g

H Heavy Metals - (GA) (Edible)

Specimen Weight: 246.570 mg

Passed

SOP13.048 (ICP-MS)

Dilution Factor: 202.782

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	500	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	500	<LOQ	Mercury (Hg)	0.016	100	500	<LOQ

L Residual Solvents (GA-4)

Specimen Weight: 16.200 mg

Passed

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	89248.360	Hexane	0.068	25	100000	<LOQ

M Mycotoxins - (GA)


Specimen Weight: 593.460 mg

Passed

SOP13.007 (LCMS)

Dilution Factor: 2.530

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	1.9	20	<LOQ	Aflatoxin G2	2.7100E-1	1.9	20	<LOQ
Aflatoxin B2	7.7000E-2	1.9	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	1.9	20	<LOQ				20	<LOQ


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

Honest PP&D
1038 Arlington St
Orlando, Florida 32805

Batch # GYDHJPE252401

Test Reg State: Georgia

Batch Date: 2025-03-26

Extracted From: HEMP

Order # HON250409-010001
Order Date: 2025-04-09
Sample # AAGP040

Sampling Date: 2025-04-11
Lab Batch Date: 2025-04-11
Completion Date: 2025-04-16

Initial Gross Weight: 62.300 g


Pesticides - (GA)

Specimen Weight: 593.460 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.530

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	3.9900E-1	9	100	<LOQ	Fludioxonil	3.6000E-1	9.6	100	<LOQ
Acephate	1.4100E-1	9.6	100	<LOQ	Hexythiazox	1.1300E-1	9.6	100	<LOQ
Acequinocyl	2.1780E+0	9.6	100	<LOQ	Imazalil	2.5800E-1	9.6	100	<LOQ
Acetamiprid	1.4000E-1	9.6	100	<LOQ	Imidacloprid	4.0200E-1	9.6	100	<LOQ
Aldicarb	2.0300E-1	9.6	100	<LOQ	Kresoxim Methyl	1.8200E-1	9.6	100	<LOQ
Azoxystrobin	1.8800E-1	9.6	100	<LOQ	Malathion	2.2300E-1	9.6	100	<LOQ
Bifenazate	8.6000E-2	9.6	100	<LOQ	Metalaxyl	2.7000E-1	9.6	100	<LOQ
Bifenthrin	1.0000E-1	9.6	100	<LOQ	Methiocarb	1.1800E-1	9.6	100	<LOQ
Boscalid	5.9500E-1	9.6	100	<LOQ	Methomyl	6.4000E-2	9.6	100	<LOQ
Carbaryl	1.2200E-1	9.6	100	<LOQ	Mevinphos	9.3000E-2	9.6	100	<LOQ
Carbofuran	8.6000E-2	9.6	100	<LOQ	Myclobutanil	5.7300E-1	9.6	100	<LOQ
Chlorantraniliprole	8.4000E-2	9.6	100	<LOQ	Oxamyl	4.1000E-2	9.6	100	<LOQ
Chlordane	1.9000E+0	9.6	100	<LOQ	Paclbutrazol	1.8600E-1	9.6	100	<LOQ
Chlorpyrifos	1.0900E-1	9.6	100	<LOQ	Permethrin	6.2400E-1	9.6	100	<LOQ
Coumaphos	2.0600E-1	9.6	100	<LOQ	Phosmet	1.2700E-1	9.6	100	<LOQ
Cyfluthrin	9.8000E-1	9.6	100	<LOQ	Piperonylbutoxide	1.4900E-1	9.6	100	<LOQ
Cypermethrin	9.8500E-1	9.6	100	<LOQ	Prallethrin	1.4760E+0	9.6	100	<LOQ
Daminozide	1.6550E+0	9.6	100	<LOQ	Propiconazole	2.9400E-1	9.6	100	<LOQ
Diazinon	2.1200E-1	9.6	100	<LOQ	Propoxur	1.0000E-1	9.6	100	<LOQ
Dichlorvos	1.1300E+0	9.6	100	<LOQ	Pyridaben	1.4000E-1	9.6	100	<LOQ
Dimethoate	6.3000E-2	9.6	100	<LOQ	Spinetoram	4.2400E-1	9.6	100	<LOQ
Dimethomorph	2.5810E+0	9.6	100	<LOQ	Spiromesifen	1.2000E-1	9.6	100	<LOQ
Ethoprophos	1.5100E-1	9.6	100	<LOQ	Spirotetramat	2.1100E-1	9.6	100	<LOQ
Etofenprox	1.7200E-1	9.6	100	<LOQ	Spiroxamine	5.3300E-1	9.6	100	<LOQ
Etoxazole	8.6600E-1	9.6	100	<LOQ	Tebuconazole	2.3000E-1	9.6	100	<LOQ
Fenhexamid	5.8800E-1	9.6	100	<LOQ	Thiaclorpid	1.7000E-1	9.6	100	<LOQ
Fenoxy carb	2.7400E-1	9.6	100	<LOQ	Thiamethoxam	1.7900E-1	9.6	100	<LOQ
Fipronil	3.1700E-1	9.6	100	<LOQ	Trifloxystrobin	1.3400E-1	9.6	100	<LOQ
Flonicamid	4.6600E-1	9.6	100	<LOQ					


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Zombi Death Drops

Sample ID: 2502AFL0223.1037

Strain: Rest in Peach

Matrix: Ingestible

Type: Soft Chew

Unit Weight: 5.2561 g

Internal Lab ID: ATL-26899

Received: 02/10/2025

Completed: 03/03/2025

Batch#: GYDHJPE252401

Client

Honest PPD

Lic. #

1038 Arlington St

Orlando, FL 32805



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/10/2025	Complete
Residual Solvents	02/20/2025	Pass
Microbials	02/24/2025	Pass
Pesticides	03/03/2025	Pass
Heavy Metals	03/06/2025	Pass
Foreign Matter	02/24/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete

0.16%

Total THC

ND

Total CBD

0.44%

Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	9S-HHC	0.01	0.07	3.7
CBDV	0.01	ND	ND	9R-HHC	0.01	0.17	9.2
CBDa	0.01	ND	ND	Δ9-THCH	0.01	ND	ND
CBGa	0.01	ND	ND	Δ8-THCH	0.01	ND	ND
CBG	0.01	ND	ND	Δ9-THCP	0.01	0.03	1.8
CBD	0.01	ND	ND	Δ8-THCP	0.01	ND	ND
THCV	0.01	ND	ND	Δ8-THCO	0.01	ND	ND
Δ8-THCV	0.00	ND	ND	Δ9-THCO	0.01	ND	ND
THCVa	0.01	ND	ND	9(S)-HHCP	0.01	ND	ND
CBN	0.01	ND	ND	9(R)-HHCP	0.01	ND	ND
Δ9-THC	0.01	0.16	8.6	11-Hydroxy-THC	0.01	ND	ND
Δ8-THC	0.01	ND	ND	1(S)-H4-CBD	0.01	ND	ND
(6aR,9S)-d10-THC	0.01	ND	ND	1(R)-H4-CBD	0.03	ND	ND
(6aR,9R)-d10-THC	0.00	ND	ND	Δ9-THCB	0.00	ND	ND
CBC	0.01	ND	ND	Δ8-THCB	0.01	ND	ND
CBCa	0.01	ND	ND	CBDp	0.01	ND	ND
THCa	0.01	ND	ND	Total		0.44	23.2

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 02/10/2025

NT
Not Tested


Moisture Content

NT
Not Tested

Water Activity

Pass

Foreign Matter



Paulo Gonzalez
Laboratory Manager
03/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com




Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 4

Zombi Death Drops

Sample ID: 2502AFL0223.1037
Strain: Rest in Peach
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.2561 g

Internal Lab ID: ATL-26899
Received: 02/10/2025
Completed: 03/03/2025
Batch#: GYDHJPE252401

Client
Honest PPD
Lic. #
1038 Arlington St
Orlando, FL 32805

Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Acephate	3000	ND	Pass	Fipronil	100.0	ND	Pass
Acequinocyl	2000	ND	Pass	Fludioxonil	3000	ND	Pass
Azoxystrobin	3000	ND	Pass	Imazalil	100.0	ND	Pass
Bifenazate	3000	ND	Pass	Kresoxim Methyl	1000	ND	Pass
Bifenthrin	500.0	ND	Pass	Malathion	2000	ND	Pass
Boscalid	3000	ND	Pass	Metalaxyl	3000	ND	Pass
Captan	3000	ND	Pass	Methiocarb	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbofuran	100.0	ND	Pass	Myclobutanil	3000	ND	Pass
Chlorantraniliprole	3000	ND	Pass	Naled	500.0	ND	Pass
Chlordan	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Pentachloronitrobenzene	200.0	ND	Pass
Clofentezine	500.0	ND	Pass	Permethrin	1000	ND	Pass
Coumaphos	100.0	ND	Pass	Phosmet	200.0	ND	Pass
Cyfluthrin	1000	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cypermethrin	1000	ND	Pass	Propiconazole	1000	ND	Pass
Diazinon	200.0	ND	Pass	Propoxur	100.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyrethrins	1000	ND	Pass
Dimethoate	100.0	ND	Pass	Pyridaben	3000	ND	Pass
Dimethomorph	3000	ND	Pass	Spiroxamine	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Tebuconazole	1000	ND	Pass
Etofenprox	100.0	ND	Pass	Thiamethoxam	1000	ND	Pass
Etoxazole	1500.0	ND	Pass	Trifloxystrobin	3000	ND	Pass
Fenoxy carb	100.0	ND	Pass				

Date Tested: 03/03/2025
Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)




Paulo Gonzalez
Laboratory Manager
03/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

3 of 4

Zombi Death Drops

Sample ID: 2502AFL0223.1037
Strain: Rest in Peach
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.2561 g

Internal Lab ID: ATL-26899
Received: 02/10/2025
Completed: 03/03/2025
Batch#: GYDHJPE252401

Client
Honest PPD
Lic. #
1038 Arlington St
Orlando, FL 32805

Microbials

Pass

Analyte	LOD	Result	Status
Aerobic Bacteria	CFU/g	CFU/g	
Aspergillus	10	NR	NT
Shiga toxin-producing E. Coli	1	Not Detected in 1g	Pass
Enterobacteriaceae	1	Not Detected in 1g	Pass
Salmonella	10	NR	NT
Staphylococcus aureus	1	Not Detected in 1g	Pass
Yeast & Mold	10	NR	NT
	10	ND	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 02/24/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit	Result	Status
Packaging Contaminants	% by weight	% by weight	
Insects	0.01	ND	Pass
Feces	0.01	ND	Pass
Mold	0.005	ND	Pass
FM Other	0.01	ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 02/24/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
Arsenic	µg/g	µg/g	µg/g	
Cadmium	100	1500	ND	Pass
Lead	100	500	ND	Pass
Mercury	100	500	ND	Pass
	100	3000	ND	Pass

Date Tested: 03/06/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Manager
03/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

4 of 4

Zombi Death Drops

Sample ID: 2502AFL0223.1037 Internal Lab ID: ATL-26899
Strain: Rest in Peach
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.2561 g

Client
Honest PPD
Lic. #
1038 Arlington St
Orlando, FL 32805

Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Chloroform	0.2	2	ND	Pass
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl Ether	40	500	ND	Pass
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Isopropanol	40	500	ND	Pass
Methanol	20	250	<20.000	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71	5000	ND	Pass
Hexane	5	250	ND	Pass
Pentane	59	750	ND	Pass
Propane	165	5000	ND	Pass
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass

ACCURATE
TEST LAB

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 02/20/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = $\pm 25\%$ considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Manager
03/03/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

